



44 We have designed backpacks that ascended Mt. Everest and built bike panniers that trekked around the world. After 10 years

in this business you can be certain we've designed and built our camera bags and lens cases to take anything you can throw at them. 77

-E. K. Hine, President, Hine/Snowbridge Companies



The Ultimate in Performance



What's it like to design and build over a 1/2 million HINE/SNOWBRIDGE backpacks and KIRTLAND/TOURPAK bicycle packs? Unbelievably demanding. You couldn't ask for a tougher proving ground to test the limits of a product's quality and performance in use. At HINE/ SNOWBRIDGE we believe our tested line of ATAN camera bags and lens cases inherit everything we've learned about durability, quality control and product value. Quality that must be built into an actionoriented product. Dollar for dollar, no product can outperform our

rugged, design-for-use bags and cases

ATAN: A Ready Assistant

Like any good tool, your ATAN bag or lens case will quickly become a part of the way you take pictures. Each bag or case is designed so that the straps are placed for balance and comfort. Zippers and fasteners are in just the right position for one-handed access. And inside, ATAN's AdaptaSystem lets you arrange protective partitions to precisely fit your equipment. As your needs change or expand, our partitions adapt to handle new demands.

When you know about our materials and construction, you'll see anything else as a compromise.

There are different grades of CORDURA®. They aren't all alike. ATAN uses 11 oz., 1000 Denier, the optimum grade for maximum durability and light weight. ATAN specifies two separate waterproofing and coating processes for extra durability. Our CORDURA® outperforms cotton duck and other natural or synthetic camera bag materials. Its formidable resistance to fading, abrasion and puncturing provides protection that surrounds your sensitive camera and lens.


Our ANTRON/NYLON TYPE 66 taffeta forms the inner surfaces of ATAN's padded, protected environment. It's designed to protect your camera equipment without abrasion. Our taffeta has smooth surface for fast, snagfree access, and light color so you can see your equipment. ATAN's taffeta specification calls for 104 x 86 thread count and a urethane coating which helps keep moisture in check and prevents fraying. ATAN sets a high standard for ourselves. We demand it from our suppliers as well.

Our Thread: The Reliable Link

In a heavy duty fabric product, the seams take the concentrated stress. The incredibly tough 690 Denier multi-filament 100% nylon thread we use at ATAN positively holds our bags together-unlike cotton/poly thread used in some other brands. Our circular twist nylon thread is bonded with liquid nylon resin for more strength and smoother sewing. Smooth sewing means precise, accurate seams

without the gathering seen on other bags and cases.

Our Fabrics Can Take It, Inside & Out



Features and materials can vary model to model

., Protection & Rapid Access



Sewing: You **Can't Buy Better** Workmanship

ATAN invites you to compare how many of our seams are DOUBLE SEWN compared to lesser cases and bags. Double sewing increases durability along every stressed seam. We LOCK STITCH structural seams in ATAN bags. Lock stitching costs more and takes more time than conventional chain stitching which can unravel with

only one cut. ATAN gives you eight stitches to the inch with a knotted, locked thread between fabric layers for an extra margin of safety.

ATAN uses BARTACKS, a sewn rivet consisting of a concentrated stitch pattern that distributes stress and reinforces with 28 stitches in .75 linear inches. Bartacking is another technique used by ATAN not seen in lesser products. BACKTACKING is the technology we use to finish an exposed seam. The last half inch of our seams receive additional triple stitching.

Zippers: We've Always Used The Best

ATAN specifies YKK® continuous coil ZIPLON® self-repairing zippers. ZIPLON® zippers continue to work when others jam and pinch, and they won't mar or scratch delicate photographic equipment. YKK makes the finest zippers. Our technique for anchoring these zippers with reinforced double needle seams and double sewn backtacked ends turns this great zipper into a functional, long-lasting closure system.

Webbing: Strength Where You Need It

Our webbing connects you to our bags and cases. All our military specification webbing greatly outdistances less expensive

Triple plated .210" thick D-Ring allows

bag level.

movement at strap attachment to keep

polypropylene web found on low quality packs. For example, we specify 2'' aircraft quality 5000 lb. test tightweave abrasion resistant finish nylon webbing for our shoulder straps. The two inch width adds stability and distributes the load, and ATAN's extra comfortable non-slip expanded foam shoulder pad is secured with triple sewn end stitching.

Our Hardware: The Finest

Slides, D-rings and buckles used on ATAN products form a strong, network of connectors. Our D-rings are triple nickel plated to outlast less durable finishes. ATAN's thicker diameter, stronger D-rings eliminate the need for customary welds, which can wear out webbing or break. ATAN's FASTEX® buckles are the finest available quick-open buckles, made from ST801 SuperTough nylon. Top opening shoulder bags and waist packs must open with one hand for fast access. There

are no sharp metal edges to scratch lenses or mar camera bodies. ATAN uses first quality nylon VELCRO® to grip and hold the interior AdaptaSystem. ATAN's VELCRO has a stronger grip and a 10,000 + cycle life: far greater than the less costly imitations.



Each of the 4 different types of foam in ATAN cases and bags is chosen to perform the specific tasks that its location demands. MINICEL L-200 crosslinked polyethylene foam has an incredibly high resistance to shock and compression and is impervious to mildew, rot and moisture. VOLARA TYPE A foam can absorb and disperse high impact. PLASTAZOTE PO53 and ENSOFOAM are microcell foams which insulate against abrasion, shock

and vibration. All padding in ATAN bags is enveloped in CORDURA/NYLON, and safeguards your equipment better than clumsy, low density foam padding.

> Now that you understand the care we have put into our materials and workmanship, we invite you to select from the family of ATAN camera bags and lens cases on the following pages.

Shoulder Strap

Aircraft quality 5000 lb. test nylon webbing is continuous through shoulder pad.

Non-Slip Pad

Suede finish ENSOFOAM pad has center seam to bond 4 layers through strap and prevent pad rolling. Super comfort and no slipping. Triple end stitched.


Fastex Buckle

Double Sewn Closing Seams

Sides and bottoms are stitched two times to reinforce major assembly points.

AdaptaSystem

S-65 has removable lens buckets with adjustable interior partitions.




polyethylene stiffener creates a

platform of protection



S75 SHOULDER BAG 18½" (L) x 9½" (W) x 10" (H)




14" (L) x 8" (W) x 10" (H)



ATAN's largest shoulder bag. 2100 Accommodates complete 35 mm systems as well as 2¼ or 6 x 7 format equipment. Designed for professional field shooting. Twin zippers form retractable top panel zippers form retractable top panel to allow access to all compartments. The S75's AdaptaSystem® has vertical and horizontal VELCRO® divider matrix that is fully adjustable and completely removable. Special interior horizontal camera sling allows stacking of camera bodies. 4 large exterior pockets. Additional notebook pockets. Additional inceptors pocket is located on the back side of bag. Top luggage-style handles. Rugged top & bottom tripod lash points with straps.

For the professional who prefers twin zipper access in a shoulder bag. access in a shoulder bag. Equipment organizes in two large compartments for balanced load. AdaptaSystem® provides pivotstyle VELCRO® attached panels to stabilize lenses and accessories. Double dividers form filter/lens shade pockets. Film and accessories load in 3 large exterior pockets for fast access. Zipper notebook pocket located on the back of bag.





S35 SHOULDER BAG 12" (L) x 6" (W) x 8" (H)



S15 SHOULDER BAG 12" (L) x 4" (W) 8" (H)




S10 SHOULDER BAG 12" (L) x 4½" (W) x 7½" (H)

Designed for day shoots and travel photography, zipper opening shoulder bag is sized perfectly for recreational photo equipment needs. Two bodies, 4 or more lenses and plenty of accessories. Generous front and end pockets carry film and gadgets. AdaptaSystem's pivot-style dividers provide up to 7 interior compartments. Convenient exterior zipper notebook pocket on backside of bag.

Zipper opening shoulder bag proportioned for moderate equipment needs and casual shooting. Panel AdaptaSystem® dividers with filter pockets form three compartments perfect for one camera body, up to three lenses, a winder or flash, and eight or more rolls of film. Large front pocket accommodates extra film and accessories. Zippered portfolio pocket.

ATAN has developed a bag specifically to carry compact equipment needs. Double center divider AdaptaSystem® creates 3 well padded compartments to carry a camera, two lenses and accessories. 2 exterior pockets carry film, notebooks, maps, etc. Generous 2" wide adjustable shoulder strap with super comfortable non-slip pad gives continuous support around bottom.

Equipment diagrams are simply a guide for quick visual reference. Capacities and arrangement are totally flexible. You can change layout to accommodate your specific needs. Your local ATAN dealer will assist you in fitting your needs to one of our bags or cases.



S65 SHOULDER BAG 14" (L) x 8½" (W) x 9" (H)



\$45 SHOULDER BAG





ATAN's largest top flap opening shoulder bag.

Designed expressly for the working professional, it accommodates 35 mm, 2¼ and 6 x 7 format equipment. Flap with tough FASTEX® quick-release buckles opens with one hand, giving total interior access. The S65's interior AdaptaSystem® provides up to 9 fully padded compartments with two separate, removable lens pouches. Foam

spacing discs and movable VELCRO® dividers increase interior flexibility. Horizontal divider sling allows 2 cameras to stack vertically. Four large flap opening exterior pockets with VELCRO® closure give quick access to film, notes and accessories. Additional zipper notebook pocket is located on the back side of bag. Superpadded, extra length non-slip shoulder pad distributes weight for maximum comfort when fully loaded.

Designed for the professional photographer or photojournalist, this top-flap shoulder bag combines generous capacity with an AdaptaSystem® designed with movable/removable lens pouch. VELCRO® mounted partitions and extra foam spacers are included for additional organizing capability. 3 convenient external pockets. Handy zipper notebook pocket on back of bag.





S25 SHOULDER BAG 10½" (L) x 6" (W) x 8" (H)



Moderate capacity top flap opening shoulder bag for the serious photographer. FASTEX® quick-open buckles give speedy access to interior. AdaptaSystem® with lens pouch allows you to customize internal bag layout to carry 2 camera bodies, 3 or more lenses, winders, film and accessories. 2 extra exterior end pockets keep often used accessories at your fingertips. Zippered portfolio pocket.

Clean, simple design for recreational photography. As with all ATAN bags, the interior is organized with vertical padded VELCRO® movable dividers that you adjust to fit your equipment. Back side of bag has handy notebook pocket, and convenient zipper close front pocket carries film, filters and cable release.

Equipment diagrams are simply a guide for quick visual reference. Capacities and arrangement are totally flexible. You can change layout to accommodate your specific needs. Your local ATAN dealer will assist you in fitting your needs to one of our bags or cases.

L75 LENS CASE 31/8"(D) x 77/8"(L)

L73 LENS CASE 2¾"(D) x 7½"(L)

L57 LENS CASE 2¾"(D) x 6¾"(L)

L55 LENS CASE 2¾"(D) x 4¾"(L)

L35 LENS CASE 2¾"(D) x 35/8"(L)

L15 LENS CASE 25/8"(D) x 25/8"(L)



The largest of our zip opening lens cases. This one will carry 1 or more lenses and measures 31/8" (D) x 77/6" (L).

By using foam spacers. ATAN's large zip opening lens case can hold 1 or more lenses. It measures 2¾" (D) x 7½" (L).

A 34 "optional shoulder strap is available for carrying ease to complement the lens cases.

This medium/ large lens case holds one or more lens. Measures 2¾" (D) x 6¾" (L).

Carrying 1 or more lenses, this 2¾" (D) x 4¾" (L) case is easy to use and opens with a zip.

ATAN's small/medium zip opening lens case will hold 1 lens and measures 2%" (D) x 3%" (L).

With a height of 25%" and a diameter of 25%", this lens case is our smallest. It zips open and is perfectly suited for a single lens.



L85 LENS CASE 31/8" (D) x 83/8" (L)

L83 LENS CASE 23/4" (D) x 8" (L)

L67 LENS CASE 23/4" (D) x 67/8" (L)

L65 LENS CASE 2¾"(D) x 5¼"(L)

L45 LENS CASE 2¾" (D) x 4" (L)

L25 LENS CASE 25/8" (D) x 3" (L)

Our widest and tallest lens case with drawstring closure 31/8" (D) x 83/8" (L) carries one or more lenses.


ATAN's large drawstring lens case, by using foam spacers, can hold one or more lenses. It measures 2³4" (D) x 8" (L). This versatile lens pack has room for 1 or more lenses, opens by cord and measures 2%" (D) x 6%" (L).

Medium sized drawstring lens case can hold 1 or more lens and measures 2¾" (D) x 5¼" (L). ATAN's small/ medium drawstring lens case holds 1 lens and measures 2¾" (D) x 4" (L).


Our smallest drawstring lens case measures 2% "in diameter and 3" in height. Designed to carry 1 lens.

A $^{3}\!\!\!/'$ optional shoulder strap is available for carrying ease to complement the lens cases.

Refer to ATAN's lens case sizing chart on the back cover for specifications to fit your lens to the proper case. All lens case dimensions are interior dimensions.



C35 CARRY CASE 15" (L) x 6" (W) x 12" (H)



W55 WAIST PACK 18" (L) x 6" (W) x 7½" (H)



W35 WAIST PACK 16" (L) x 4" (W) x 7½" (H)



The interior foam block in this 15" x 6" x 12" carrying case is designed to be arranged by the user.


Measuring 18" x 6" x 7½", our large waist pack can accommodate 2 camera bodies, 2 to 6 lenses, winders or flashes and filters.

Medium-sized waist pack measures $16" \times 4" \times 71/2"$ and has been designed to hold one camera body, 2 to 4 lenses, winder, flash and filters.

A55 Largest in the Action Pack line, this 7¼ " x 3" x 9½" bag has room for a camera body, 1 long lens or 2 short lenses, and accessories.

This mediumsized Action Pack carries a camera body and either 1 long lens or 2 short lenses. It's 71/4" x 3" x 7".





6½" (L) x 12" (W) x 17¼" (H)



A55 ACTION PACK 7¼" (L) x 3" (W) x 9½" (H)



A35 ACTION PACK 7¼" (L) x 3" (W) x 7" (H)



7½" (L) x 3" (W) x 6" (H)

This Action Pack can be ready to go on a moment's notice and carries a camera body and normal lens. It measures 7½" x 3" x 6".

Attractive yet rugged, our back pack measures a hefty 6½" x 12" x 17¼". The top compartment has room for 2 camera bodies, up to 4 lenses or other accessories, while lunch, binoculars, and nature guides can be carried in the bottom can be carried in the bottom compartment.

Large business papers are right at home in this 7 pocket, 17" x 3" x 4" briefcase.

This attache case measures 16" x 11", and has 2 easy to use pockets

Equipment diagrams are simply a guide for quick visual reference. Capacities and arrangement are totally flexible. You can change layout to accommodate your specific needs. Your local ATAN dealer will assist you in fitting your needs to one of our bags or cases.



When you buy an ATAN camera bag, you're buying our ADAPTASYSTEM® as well. There are two styles to choose from; one with removable/ movable lens pouches with internal rearrangeable dividers as on the S65 on the left. The other has padded pivot style VELCRO* attached panels to stabilize lens and accessories as shown on the S55 on the right. Select the system that provides maximum flexibility for your style of photography.

Diameter	Maximum Lens Length (Includes Lens Caps)	Maximum 23/8"-25/8"	Barrel Diamet	er of Lens 27/8"-31/8"
	2"-2½"	L15 or L25		
	2½"-3½"		L35 or L45	
	3%"-4%"		L55 or L65	
	5″-6½″		L57 or L67	
	6½"-7½"		L73 or L83	
	6½″-7%″			1.75 or 1.85

Lens Sizing Chart
Use this chart to fit your lens to the proper case. Be sure to include lens caps when measuring lens length. And measure the maximum barrel diameter of the lens. (ATAN provides foam sizing discs to adjust the fit of your case in \%" increments.)

Lifetime Limited Warranty

All ATAN products are covered by our Lifetime Limited Warranty. This warranty is proudly displayed with all products. A copy of the warranty is also available from your ATAN dealer or directly from the factory. We are constantly striving to improve our products. Although we make every effort to have this catalog accurately represent each item, occasionally changes and improvements are made after this catalog has gone to press and cannot be shown.

Another quality product line by HINE/SNOWBRIDGE, INC.



Post Office Box 4059, Boulder, Colorado 80306